Samba 2.0.6

Keywords for smb.conf

[global]

workgroup = WORKGROUP netbios name = netbios aliases = server string = Samba Server interfaces = 192.168.10.166/24 192.168.11.166/24 bind interfaces only = No security = USER encrypt passwords = Yes update encrypted = No allow trusted domains = Yes hosts equiv = min passwd length = 5map to guest = Never null passwords = No password server = smb passwd file = /usr/local/samba/private/smbpasswd root directory = / passwd program = /bin/passwd passwd chat = *new*password* %n\n *new*password* %n\n *changed* passwd chat debug = No username map = password level = 0username level = 0unix password sync = No restrict anonymous = No use rhosts = No $\log |eve| = 2$ syslog = 1syslog only = No log file = /usr/local/samba/var/log.%m max log size = 50timestamp logs = Yes debug hires timestamp = No debug pid = No debug uid = No protocol = NT1read bmpx = No read raw = Yes write raw = Yes nt smb support = Yes nt pipe support = Yes nt acl support = Yes announce version = 4.2announce as = NT max mux = 50max xmit = 65535 name resolve order = Imhosts host wins bcast max packet = 65535max ttl = 259200 max wins ttl = 518400min wins ttl = 21600time server = No change notify timeout = 60 deadtime = 0getwd cache = Yes keepalive = 300

lpq cache time = 10max disk size = 0max open files = 10000 read prediction = No read size = 16384 shared mem size = 1048576socket options = TCP_NODELAY stat cache size = 50load printers = Yes printcap name = lpstat printer driver file = /usr/local/samba/lib/printers.def strip dot = No character set = mangled stack = 50 coding system = client code page = 850stat cache = Yes domain groups = domain admin group = domain guest group = domain admin users = domain guest users = machine password timeout = 604800 add user script = delete user script = logon script = logon path = $\N U$ logon drive = logon home = $\N U$ domain logons = No os level = 33Im announce = Auto Im interval = 60preferred master = No local master = Yes domain master = No browse list = Yes dns proxy = Nowins proxy = Nowins server = wins support = No wins hook = kernel oplocks = Yes ole locking compatibility = Yes oplock break wait time = 10 smbrun = /usr/local/samba/bin/smbrun config file = preload = lock dir = /usr/local/samba/var/locks default service = message command = dfree command = valid chars = remote announce = remote browse sync = socket address = 0.0.0.0 homedir map = time offset = 0unix realname = No NIS homedir = No panic action =

comment = path =alternate permissions = No revalidate = No username = guest account = nobody invalid users = valid users = admin users = read list = write list = force user = force group = read only = Yes create mask = 0744force create mode = 00security mask = -1 force security mode = -1 directory mask = 0755 force directory mode = 00directory security mask = -1 force directory security mode = -1 guest only = No guest ok = No only user = No hosts allow = 192.168.10. 192.168.11. 192.168.12. 127. hosts deny = status = Yes max connections = 0min print space = 0 strict sync = No sync always = No print ok = No postscript = No printing = cups print command = lpr -r -P%p %s lpq command = lpq -P%p lprm command = lprm -P%p %j lppause command = lpresume command = queuepause command = /usr/bin/disable %p queueresume command = /usr/bin/enable %p printer name = printer driver = NULL printer driver location = default case = lower case sensitive = No preserve case = Yes short preserve case = Yes mangle case = No mangling char = ~ hide dot files = Yes delete veto files = No veto files = hide files = veto oplock files = map system = No map hidden = No map archive = Yes mangled names = Yes mangled map =

browseable = Yes blocking locks = Yes fake oplocks = No locking = Yes oplocks = Yes |evel2 oplocks = No|oplock contention limit = 2 strict locking = No share modes = Yes copy = include = exec = preexec close = No postexec = root preexec = root preexec close = No root postexec = available = Yes volume = fstype = NTFS set directory = No wide links = Yes follow symlinks = Yes dont descend = magic script = magic output = delete readonly = No dos filetimes = No dos filetime resolution = No fake directory create times = No

[homes]

comment = Home Directories read only = No browseable = No

[Profiles]

path = /usr/local/samba/profiles guest ok = Yes browseable = No

[printers]

comment = All Printers path = /usr/spool/samba print ok = Yes browseable = No

[tmp]

comment = Temporary file space path = /tmp read only = No guest ok = Yes

[public]

path = /transfer read only = No guest only = Yes guest ok = Yes