

Forensic Toolkit

Sales and Promotional Summary



ACCESSDATA, ON YOUR RADAR

What is AccessData's Forensic Toolkit[®]?

Also known as FTK[®], this application enables you to perform complete and thorough computer forensic examinations. FTK features powerful filtering and search functionality, and is recognized by law enforcement and corporate security professionals as the leading forensic tool for e-mail analysis.

We'll Help Your Investigation

AccessData's Forensic Toolkit advances your investigation by giving you more time, power, and insight to each case. FTK provides you the following advantages:

- Simple Users' Interface
- Fast Searching
- EFS Decryption
- Bookmarking
- Reporting
- Password Dictionary Creation

Uncomplicated Users' Interface

FTK makes evidence and easy to analyze. Our database architecture sorts and categorizes all graphics, e-mails, bad extensions, and encrypted files more quickly and simply.

A click of the mouse on the Graphics category, for example, allows you to see a list of every graphic found on the hard drive.

E-mail Display

Most forensic software requires yet another utility to allow the investigator to view emails in readable HTML format. FTK allows you to view e-mail in a user-friendly HTML. You can view native formats such as AOL IP addresses, POP3 servers, and view attachments. You can also document them in HTML reports.

Overview Explo	e Graphics	E-Mail	Search	Bookmark						
Evidence Items	File Status	File Categor		- Cla		2 21 41				
idence Items: 1	KFF Alert Files: 0	Documents:	1967		CO V TEXT HER 22	9 U C				
File Items	Bookmarked Items: 0	Spreadsheets:	21	T.						-1
tal File Items: 8938	Bad Extension: 1593	Databases:	1			Appointm	ent0001			
ecked Items: 0	Encrypted Files: 6	Graphics:	3786	Subie	t: Eligible for H	loating Holiday				
ichecked Items: 8938	From E-mail: 393	E-mail Messages:	51	Fue	u. Dashaal Dinak					-
agged Thumbnails; 0	Deleted Files: 9	Executables:	17	FIU	n. Rathaei Bilgi	IdIII				_
her Thumbnails: 3786	From Recycle Bin: 0	Archives:	79	Sta	rt: 8/21/2006 12	MA 00:00 :				
ered In: 8938	Duplicate Items: 5462	Folders:	0	En	d: 8/22/2006 12	:00:00 AM				
ered Out: 0	OLE Subiterns: 1270	Slack/Free Space:	0	Demmin	m NTe					-
nfiltered Filtered	Flagged Ignore: 0	Other Known Type:	927	Recurti	8. 1.40					
Il tems Actual Files	KFF Ignorable: 63 Data Carved Files: 0	Unknown Type:	2089	Requir Attendee	ed s: Rachael Bingh	nam; Richard McC)mber, Diana	a Hadlock; Adrienne	Thomas	
						Appointme	nt Body			
				Sunday August 2) marks 6 months	of employment at	AccessData	a. Richard McOmbe	r is now eligible	<i>3</i> .
				for one floating he	liday.					
				Constant of the Article State						
						Outlook Header	r Informatio	n		
				Conversation Top Subject: Eligible f Sender Name: Re Sender E-Mail: // GROUP/CN=RE Importance: Norr Priority: Normal Sensitivity: Normal	ic: Eligible for Flo or Floating Holida chael Bingham D=ACCESSDAT CIPIENTS/CN= nal	oating Holiday ay TA/OU=FIRST A =RBINGHAM	DMINISTR.	ATIVE		
88 🝕 🃚 🗟	🗋 🏺 OFF Unfittered	Y [All Column	is 🖌 Dīz						
f File Name	Full Path		1	Recycl E File T	/pe	Category	Subject	Cr Date	Mod Date	
Admin 💽	I:\Documents an	id Settings\rmcomber\	My Docu	Email F	older	Other		N/A	N/A	
Appointment0001	I:\Documents an	d Settings\rmcomber\	vly Docu	Appoir	tment	Other	"Eligible for	. 3/20/2006 1:52:24 PM	N/A	
Appointment0002	I:\Documents an	id Settings\rmcomber\	ly Docu	Appoir	tment	Other	"All Saints"	6/16/2006 2:46:36 PM	N/A	
Appointment0003	I:\Documents an	d Settings\rmcomber\	My Docu	Appoir	tment	Uther	"All Saints'	. 6/16/2006 2:46:36 PM	N/A	
Appointment0004	I:\Documents an	d Settings\rmcomber\	My Docu	Appoir	tment	Other	'Ascensio	6/16/2006 2:46:37 PM	N/A	
	L'ADocumente an	d Settings\rmcomber\	Vy Docu	Appoir	tment	Uther	"Boxing D	6/16/2006 2:46:37 PM	N/A	
Appointment0005	1. Obcuments an	id octaings amoonibor s	1999 - Contra 19	100000						

FTK can print or export e-mail messages and all associated attachments. It recognizes the source of the e-mail messages based on e-mail archives and special headers.

FTK supports these e-mail applications:

- AOL^*
- Earthlink
- Eudora
- Hotmail
- MSN E-mail
- Netscape
- Outlook
- Outlook Express
- Yahoo

FTK can recover encrypted instant messaging chat logs and additional information such as buddy lists. FTK supports these instant messaging applications:

- AOL Instant Messenger
- Yahoo MessengerReporting

Fast Searching

Full-text indexing makes searching for keywords instantaneous. The index file is a

^{*} FTK includes extended support for AOL, including buddy lists, global settings, user history, URL history, thumbnail extraction, and address book extraction.

the case evidence. The indexed search uses the index file to find the search term. Evidence items may be indexed when they are first added to the case, or later on.

Overview Explo	ore	Graphics	E-Mail	Search	Bo	okmark					
dexed Search Live Sear	ch				1	- 4741	Hits in 139 Filt	ered Files - QUE	RY: (star) OR	(cosmos) OR ((hav
Search Term:		-	Add	Import Op	tions	÷ 1	147 Hits - mesi 75 Hits - messi	sier\Part_2\NTFS	5-NTFS\DriveF	reeSpace06	-
Todayad Words Co	Former	lkome				⊕ 3 ∓⊡ 5	41 Hits - messi	ier\Part_2\NTFS-	NTFS\DriveFr	eeSpace09	
Indexed words Co	Search	Items		3927 13	3	÷-5	10 Hits - messi	ier\Part 2\NTFS-	NTFS\DriveFr	eeSpace10	
	cosmos			23 11		÷ 3	07 Hits - messi	ier\Part_2\NTFS-	NTFS\DriveFr	eeSpace08	
	hawking	1		22 12		+ 2	05 Hits - messi	ier\Part 2\NTFS-	NTFS\DriveFr	eeSpace11	
	black ho	ile		790 33		÷-1	64 Hits - messi	ier\Part_1\FAT32	2-FAT32\Drive	FreeSpace020)
	Cumulal	ivo Doculte (us	ting OP)	4762 14	-	⊞ 1	57 Hits - messi	ier\Part_1\FAT32	2-FAT32\Black	Holes\Freque	ntly
	Fold the	n Pomouo		1 View top Re	outto a l	± 1	47 Hits - messi	ier\Part_2\NTFS-	NTFS\DriveFr	eeSpace20	
		II Reniove	Reniove All		suits »	田 9	9 Hits - messie	r(Part_1)FAT32-	FAI 32\Black I	Holes (Distortio)	ns F
	Cremulatio	e operator: /	ND OR Vie			+ D	5 mills - messie	r(Part_2(NTP5-N	11F3(Driverre	espaceiz	
	Guinaiduv	o operator. A		ew cumulative Re	SUITS »	-	O L Cha an and a	In-A HEATON	CATOOLOIL.	I-L-SDOC DL-	-l. 11
	Cumulativ			w Cumulative Re	suits »	÷ 6	2 Hits - messie	r\Part_1\FAT32-	FAT32\Black I	Holes\ROG Blac	ck H
n v 0,	ecultulativ) ini 🙆 🖸		w Cumulative Re		±-6 ∓-3	2 Hits - messie 8 Hits - messie	r\Part_1\FAT32- r\Part_1\FAT32-	FAT32\Black FAT32\Black	Holes\ROG Blac Holes\Distortion	ck H
li> <a href="ftp://ftp.sr
<mark>Cosmos</mark> for OS/2, Pa</th><th>eds.org/put
art 1 a</th><th>)/software/os</th><th>2 2
2 2
2 2
2 2
2 2
2 2
2 2
2 2</th><th>p">		⊕-6 ⊕-3	2 Hits - messie 8 Hits - messie	r\Part_1\FAT32- r\Part_1\FAT32-	FAT32\Black I FAT32\Black I	Holes\ROG Blac	ck H				
II> <a href="ftp://ftp.sr
Cosmos for OS/2, Pa
Cosmos for OS/2, Pa</th><th>edinalativ
eds.org/put
art 1 a</th><th>h 🗃 🥶 🙆</th><th>2) 🚑
52/cosmos2a.zij</th><th>p"> Columns			2 Hits - messie R Hits - messie	r\Part_1\FAT32- r\Part_1\FAT32-	FAT32\Black I FAT32\Black I	Holes\ROG Blac	ck H				
Ii> <a href="ftp://ftp.sr
Cosmos for OS/2, Pa
File Name</td><td>be the first sector of the</td><td>) mil 69 0
D/software/os
nd
Emailed Ita</td><td>2) 2)
52/cosmos2a.zij</td><td>p"> Columns	Recycl	⊕-6	2 Hits - messie 8 Hits - messie File Type	r/Part_1/FAT32- r/Part_1/FAT32-	FAT32\Black I FAT32\Black I	Holes\ROG Blacker	ck H				
Ii> <a href="ftp://ftp.sr
Cosmos for OS/2, Pa
back and the state of the state
Back and the state of the state
File Name
DriveFreeSpace01</td><td>be 🕎 🔛
eds.org/put
art 1 a</td><td>i mi 😔 🖸</td><td>Chi Vice Compared and Compared</td><td>p"> Columns	Recycl		2 Hits - messie R Hits - messie File Type Drive Free S	r\Part_1\FAT32- r\Part_1\FAT32- 1\FAT32- Slack/Free S.	FAT32\Black I FAT32\Black I Subject	Holes\ROG Black Holes\Distortion	ck H				
li> <a href="ftp://ftp.sr
cosmos for OS/2, Pt
back rank rank rank rank rank rank rank ran</td><td>eds.org/put
ads.org/put
art 1 a</td><td>imi 😔 🕑</td><td>20 20 20 20 20 20 20 20 20 20 20 20 20 2</td><td>p">	Recycl		2 Hits - messie 8 Hits - messie File Type Drive Free S Drive Free S	r\Part_1\FAT32- r\Part_1\FAT32- r\Part_1\FAT32- Slack/Free S. Slack/Free S.	FAT32\Black I FAT32\Black I Subject	Holes/ROG Black Holes/Distortion	ck H				
II> <a href="ftp://ftp.sr
Cosmos for OS/2, Pa
back that /fam.
Ble & & & &
File Name
DriveFreeSpace01
DriveFreeSpace01
DriveFreeSpace020</td><td>bə 🐺 📷
ads.org/put
art 1 a</td><td>Image: Second second</td><td>2 2/2 2/2 2/2 2/2 2/2 2/2 2/2 2/2 2/2 2</td><td>p"> Columns _ veFreeSpace01 riveFreeSpace0.	Recycl		2 Hits - messie 8 Hits - messie File Type Drive Free S Drive Free S Drive Free S	r\Part_1\FAT32- r\Part_1\FAT32- r\Part_1\FAT32- Slack/Free S. Slack/Free S. Slack/Free S.	FAT32\Black I FAT32\Black I Subject	Holes/ROG Black Holes/Distortion	ck H				
II> <a href="ftp://ftp.sr
Cosmos for OS/2, Pa
File Name
DriveFreeSpace01
DriveFreeSpace01
DriveFreeSpace01
DriveFreeSpace03
DriveFreeSpace030</td><td>too ♥ m
eds.org/put
int 1 a</td><td>Emailed the
Full Path
messier\Part_
messier\Part_
messier\Part_</td><td></td><td>p"> Columns veFreeSpace01 riveFreeSpace0. riveFreeSpace0. riveFreeSpace0.	Recycl		2 Hits - messie 8 Hits - messie File Type Drive Free S Drive Free S Drive Free S Drive Free S	r\Part_1\FAT32- r\Part_1\FAT32- r\Part_1\FAT32- Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S.	FAT32\Black FAT32\Black I Subject	Holes/ROG Blac Holes/Distortion	ck H				
III> <a href="ftp://ftp.sr
Cosmos for OS/2, P
Cosmos for OS/2, P
Cosmo</td><td>təb एए ।
ads.org/put
att 1 a</td><td>Full Path
messier/Part_
messier/Part_
messier/Part_
messier/Part_
messier/Part_</td><td>20 00 00 00 00
22/cosmos2a.zij
2000 00
2001 FS-01FS-01FS
1/FA132-FA132/D
1/FA132-FA132/D
1/FA132-FA132/D
5/NTFS COMPRES
5/NTFS COMPRES</td><td>p"> Columns verifies pace0. iveFreeSpace0. iveFreeSpace0. sSED-NTFS\Dri	Recycl	⊕-6	2 Hits - messie 8 Hits - messie File Type Drive Free S Drive Free S Drive Free S Drive Free S	r\Part_1\FAT32- r\Part_1\FAT32- r\Part_1\FAT32- Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S.	FAT32\Black I FAT32\Black I Subject	Cr Date Cr Date N/A N/A N/A N/A N/A	ck H ns P				
III> <a href="ftp://ftp.sr
osmos for OS/2, Pt
IIII= Mare
File Name
DriveFreeSpace01
DriveFreeSpace020
DriveFreeSpace030
DriveFreeSpace030
DriveFreeSpace030
DriveFreeSpace05</td><td>be ♥ ₪
eds.org/put
nt 1</td><td>Aline Content of the second seco</td><td>22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cosmos2a.zij
22/cos</td><td>p"> Columns v reFreeSpace01 riveFreeSpace0. riveFreeSpace0. riveFreeSpace0. riveFreeSpace0.	Recycl	⊕-6	2 Hits - messie 8 Hits - messie Drive Free S Drive Free S Drive Free S Drive Free S Drive Free S Drive Free S Drive Free S	r\Part_1\FAT32- r\Part_1\FAT32- r\Part_1\FAT32- Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S.	FAT32/Black I FAT32/Black I Subject	Cr Date Cr Date N/A N/A N/A N/A N/A N/A N/A					
II> <a href="ftp://ftp.sr
Cosmos for OS/2, Pa
Cosmos for OS/2, Pa
C</td><td>bo ♥ ₪
eds.org/put
nt 1</td><td>A imit @ (2) //software/os nd //software/os nd //software/os nd //software/os nessier/Part_ messier/Part_ messier/Par</td><td>INTERPORT</td><td>p"> Columns veFreeSpace01 riveFreeSpace0. riveFreeSpace0. sSED-NTFSVDi. veFreeSpace06 veFreeSpace06 veFreeSpace07	Recycl	⊕-6	2 Hits - messie R Hits - messie Drive Free S Drive Free S	r\Part_1\FAT32- r\Part_1\FAT32- r\Part_1\FAT32- Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S. Slack/Free S.	FAT32(Black I FAT32)Black I Subject	Ides/ROG Bla Hales/Distortine Cr Date N/A N/A N/A N/A N/A N/A N/A N/A					

Full-text indexing makes searching much more efficient. All keyboard-related characters in the case evidence are indexed, allowing you to data carve and search by Internet keywords.

KFF Database

The Known File Filter (KFF) is an FTK utility that compares file hashes of your evidence against a database of hashes from files known to be irrelevant (such as known system and program files). It also checks for duplicate files.

- You can expand the power of your KFF by importing hashes from other databases, or updating the KFF database.
- A KFF Alert Editor allows you to edit the Alert/Ignore status of every hash set contained within the KFF library.
- KFF includes the NDIC/NIST database, which is updated periodically and is available for download on the FTK update page (http://www.accessdata.com/downloads.htm).

EFS Decryption

The Encrypting File System, or EFS is part of the Microsoft NTFS file system. EFS is a transparent public key encryption technology that works in conjunction with the user's logon process to grant and deny users access to files and folders in Windows NT (excluding NT4), 2000, XP (excluding XP Home Edition) and Vista operating systems. **Important:** FTK requires the PRTK license to decrypt EFS files.

EFS uses a public key and a private key for encryption. If the user does not have a key pair, the EFS generates one automatically. Files can be encrypted individually, or a folder can be designated as encrypted so that any file written to that folder is automatically encrypted. Because EFS's encryption technology integrates into the file system, once initiated it is transparent to the user as it is based on the logon authentication. These EFS encrypted files or folders can be viewed only by the user who encrypted them, or by the user who is the authorized Recovery Agent. When the user logs in, encrypted files and folders are seamlessly decrypted and the files are automatically displayed. Forensic Toolkit (FTK) can break the file encryption so that additional evidence can be uncovered.

When evidence is added to a case and Decrypt EFS Files is selected in the New Case Wizard, FTK launches PRTK and decrypts EFS files.

Windows 2000 and XP Systems Prior to SP1

FTK automatically decrypts EFS files on Windows 2000 systems and Windows XP systems prior to Service Pack 1. Select the Decrypt EFS Files option when adding evidence to a case and FTK will launch PRTK and decrypt the EFS files.

Windows XP SP1 or Later

For Windows XP systems with Service Pack 1 or later, FTK needs the user's or Recovery Agent's password before it can decrypt EFS files.

The decrypted information is displayed in the Explore window. The decrypted file is displayed as a sub-item to the encrypted file. The metadata and full path name is also displayed, including a note that shows that the file is decrypted

For example, if you have a decrypted file named "Jupiter Statistics.xls," then the decrypted version would be "Jupiter Statistics[decrypted].xls" is listed as a child of "Jupiter Statistics.xls" in the File List.

Bookmarking

The end result of a successful investigation is a list of bookmarked data to be used as evidence. A bookmark contains a group of files that you want to reference in your case. Bookmarks help organize the case evidence by grouping related or similar files. For example, you can create a bookmark of graphics that contain similar images.

Overview	Explore	Graphics	E-Mail	Search	Bookmark		
🖃 Bookmark	s			Bookmark Name:	Bookma	rk Comment:	
⊡-Fire: fir	eball.jpg			Bookmarked Files:			
M M	20 - Trifid Nebula 31 - Andromeda Gala	xy.		File Name		File Path	
				E Remember file :	ostion/selection	Update to current	position/selectio
				Save Changes	Clear Changes	📕 🗖 Include in Repor	Export fi
	× 10 🕰	ini ini 🥺 🧕)	Save Changes	Clear Changes	📕 🗖 Include in Repor	Export fil
	× v ⁺ 26 Å	₩ ₩ <mark>@</mark> Q	2	Save Changes	Cléar Changes	Include in Repor	Export fi
	 38 □ 8 39 ± 40 ± 	orf Unfittered		Columns	Clear Changes	Include in Repor	Export fi
E B de	5 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	orr Unfiltered		Columns Re	Clear Changes	Ext Category	Export fil
BB C		OFF Unfittered Full Path messier/Part_2		Columns Re iveFreeSpace11 Aessier Objects	Clear Changes	Ext Category F File .jpg Graphic Folder	Export fil
E B C File Name M20 - Trif M31 - And	id Nebula tromeda Galaxy	OFF Unfiltered Full Path messier/Part_1 messier/Part_1	Image: Second state Image: Second state	Columns ReiveFreeSpace11 Aessier Objects\	Clear Changes cycle File Type JPEG/JF Folder Folder	Ext Category F Filejpg Graphic Folder Folder	Export fi

You can add checked files, highlighted files, and currently listed files simply by right-clicking and selecting "add to bookmark," FTK will show you a list of current bookmarks to select from.

Reporting

After you complete the case investigation, you can create a report that summarizes the relevant evidence of the case.

FTK provides a thorough report wizard that allows customization of reports, including the placement of one's own logo on the title page. The final report is in HTML format and is viewable in a standard Web browser.

- You can create a section in the report that lists the bookmarks that were created during the case investigation. You can also choose to not create a bookmark section.
- You can create a section in the report that displays thumbnail images of the case graphics.
- You can create a section in the report that lists the file paths of files in selected categories. The List by File Path section simply displays the files and their file paths; it does not contain any additional information. However, you can export and link to the files in the File Path list by checking the Export to the Report box.
- You can create a section in the report that lists file properties for different file types in selected categories.

• You can add files such as supplementary reports, search warrant information, and photos of the crime scene to the report. You can also add the case log to the report. The case log documents activities and events that occur in the case during investigation and analysis.



Included files only require that the applications to view them must be installed on the computer the report is being viewed .

Password Dictionary Creation

FTK uses the full-text index for instantaneous keyword results. It can also be exported for use as a dictionary for password recovery processes in the Password Recovery Toolkit (PRTK).

With Full Text Index, you create a dictionary of every alpha numeric string located on the hard drive. This dictionary that you create in FTK becomes pivotal in cracking passwords. Every alpha numeric string ever recorded onto the hard drive is placed into a database for PRTK to search through and decrypt passwords from.

You can export the index by selecting Tools, and then Export Word List.

Conclusion

FTK Applies a database methodology to digital analysis. With its built in viewers, filters, and other utilities, FTK is very fast and very efficient at case analysis.

Contact Us:

Sales AccessData 384 South 400 West Suite 200 Lindon, UT 84042 USA

sales@accessdata.com 800.574.5199