SHORTCUTS

		Description
Tab		Auto-complete files and folder
names		nato-complete liles and lolder
Ctrl + A		Go to the beginning of the line
you are currently t	vping on	do to the beginning of the line
Ctrl + E	715-119 011	Go to the end of the line you are
currently typing on	1	20 00 000 000 00 000 000 100 100 000
Ctrl + U		Clear the line before the cursor
Ctrl + K		Clear the line after the cursor
Ctrl + W		Delete the word before the cursor
Ctrl + T		Swap the last two characters
before the cursor		-
Esc + T		Swap the last two words before the
cursor		
Ctrl + R		Lets you search through previously
used commands		
Ctrl + L or Comma	ınd + K	Clears the Screen
Ctrl + C		Kill whatever you are running
Ctrl + D		Exit the current shell
CORE COMMANDS		
cd	Home dire	ectory
cd [folder]		-
	_	ectory, e.g. 'cd ~/folder/'
	Root of d	_ :
ls	Short lis	sting
ls -1	Long list	ting
ls –a	Listing :	incl. hidden files
ls -lh	Long list	ting with Human readable file sizes
ls -R	Entire co	ontent of folder recursively
<pre>sudo [command]</pre>	Run comma	and with the security privileges of
the superuser (Supe	er User DO	0)
open [file]	Opens a	file
open .	Opens the	e directory
top	Displays	active processes. Press q to quit
nano [file]	Opens the	e Terminal it's editor
pico [file]	Opens the	e Terminal it's editor
q	Exit	
clear	Clear sc	reen

COMMAND HISTORY

```
history n Shows the stuff typed - add a number to limit
the last n items
 ctrl-r
           Interactively search through previously typed
commands
  ![value] Execute the last command typed that starts with
'value'
           Execute the last command typed
______
FILE MANAGEMENT
 touch [file]
                         Create new file
                         Full path to working directory
 pwd
                         Parent/enclosing directory, e.g.
  . .
 ls -1 ..
                         Long listing of parent directory
                         Move 2 levels up
 cd ../../
                         Current folder
 cat
                          Concatenate to screen
 rm [file]
                         Remove a file, e.g. rm [file]
[file]
 rm -i [file]
                        Remove with confirmation
  rm -r [dir]
                         Remove a directory and contents
 rm -f [file]
                         Force removal without
confirmation
 rm -i [file]
                        Will display prompt before
 cp [file] [newfile]
                        Copy file to file
 cp [file] [dir]
                         Copy file to directory
 mv [file] [new filename] Move/Rename, e.g. mv -v [file]
[dir]
  ______
._____
DIRECTORY MANAGEMENT
 mkdir [dir]
                    Create new directory
 mkdir -p [dir]/[dir] Create nested directories
 rmdir [dir]
                    Remove directory ( only operates on
empty directories )
```

rm -R [dir]		Remove directory and contents		
PIPES - Allows to combine multiple commands that generate output				
overwritten >> [file]	Output content delivered in screensize chunks Push output to file, keep in mind it will get Append output to existing file Tell command to read content from a fi			
HELP				
[command] - [command] - [command] he reset man [commane whatis [com	-help Of elp Of Re d] Sh	ffers help		